

APACE

Revegetation Catalogue

Beermullah Vegetation Complex



The Appropriate Technology Development Group Inc.
2013

CONTENTS

Catalogue Notes 4

Map..... 7

Beermullah Vegetation Complex 8

APACE WA

Winter House 1 Johannah Street North Fremantle 6159

Phone: (09) 336 1262 Fax: (09) 430 5729 Email: apace@apacewa.org.au web: www.apacewa.org.au

APACE and the surrounding land is the home of the Appropriate Technology Development Group Inc. and APACE AID Inc. Collectively these organisations are known as APACE WA and are non-profit and community based. The location is on one hectare of land adjacent to the banks of the Swan River in North Fremantle. The offices are housed in historic Winter House, built in the 1880's and restored by a community project in the early 1980's. APACE WA has been resident at Winter House since 1983.

Activities undertaken by APACE WA include:

- The APACE Revegetation Nursery specialises in the propagation and supply of plant species indigenous to the Swan Coastal Plain and the Darling Range. Plants from the nursery are used in revegetation and landscaping projects throughout the Perth metropolitan region. The nursery is accredited with the Nursery Industry Accreditation Scheme of Australia (NIASA) and all stock is grown under strict hygienic conditions.
Each year the nursery produces more than four hundred thousand plants and provides a selection of two hundred and eighty different species that are generally unavailable elsewhere. The APACE nursery was the first West Australian nursery to bring into cultivation a range of common rush and sedge species for wetlands revegetation projects.
- Consultancy services are provided in landscape architecture, revegetation design and site rehabilitation, including species selection, remedial works, weed eradication and other management issues. Flora and fauna surveys, where required, are also conducted. Clients include government departments, local government, schools, community groups and the private sector.
- APACE provides a comprehensive project management and implementation service. We conduct project management of both large and small-scale revegetation projects. We offer services in landscape architecture, project design, seed collection, planting, fencing and follow-up maintenance works. We also undertake a variety of construction projects including bird hides, boardwalks, beach shelters and dunal fencing.
- Since 1983 APACE has been providing education and training programmes for the community. Many of these programmes have had an environmental focus and have been conducted by APACE throughout Western Australia.

APACE offers two special courses to assist people with revegetation - "Introduction to Bush Regeneration" and "Seed Collection of West Australian Native Plants". Both courses include practical components and provide an excellent introduction to bush regeneration techniques and practices.

- The Swan Regional Seedbank has been set up by APACE to develop and maintain a regional seed bank of species indigenous to the Swan Coastal Plain and Darling Scarp and Range. The Swan Regional Seedbank provides a facility that enables community groups to store seed collected from their own reserves. The Seedbank acts as a training and education facility to support collection of indigenous seed material.

APACE COMMUNITY REVEGETATION NURSERY



Contracts

All plant species shown in the catalogue are propagated in preparation for the planting season (May to August). Contract orders are welcome. Orders can be placed at any time, however to secure supply of your preferred species it is advisable to order nine months prior to the planting season.

Indigenous species not shown in the catalogue but that are required can be grown on a contract basis.

Wherever possible species are grown from regional provenance seed. A seed collection service is available should you require plants to be grown from local seed.

Recycling

All plastic pots and trays can be returned to the nursery for re-cycling, where they are put through our pot sanitisation process before re-use.

How to use the Catalogue

Many of our Western Australian plants are difficult, if not impossible to propagate. The lists shown in this publication are refined from the total plant species that grow in this vegetation complex. These refinements are made after considering the following factors:

- Seed and cutting material availability
- Plants can be produced in commercial quantities
- No annual and ephemeral species are included
- No rare flora or orchid species are included
- Species for which cultivation techniques have not yet been developed

With the advent of smoke-induced germination we have seen an increase in the numbers of species brought into commercial cultivation. These numbers are likely to increase still further with continued research.

This catalogue presents the plant species in lists according to the soil type in which they naturally occur. A map indicating the locations of the different soil types is included to assist with project area identification. The lists are formed from those species that are currently able to be cultivated and for which seed and cutting material are available. Common names shown in inverted commas, such as "Mooja", are Aboriginal names. Sizes shown are median sizes (in metres). The ranges of flowering times are shown in months. Flower colours are also indicated.

Notes on Soil Types

The map on the following page shows the different soil types of the Swan Coastal Plain.

The soils of the Quindalup Dune System, Cottesloe and Karrakatta soil associations and the Bassendean Dune system are termed 'aeolian' and are named after the Greek god of the wind, *Aeolos*. Aeolian soils are deposited on the coast by the ocean and then transported by the wind to form dunes. The Quindalup dunes, being the furthest west are the youngest at approximately 0 to 7,000 years, while the Bassendean dunes are the oldest at approximately 118,000 to 225,000 years.

Within this band of dunes is a system of north - south trending lakes and swamps, which have a surrounding peaty soil known as Herdsman soils. Yoongarillup soils on the other hand are the result of marine deposits and are found bordering Peel Inlet and Lakes Clifton and Preston and the Leschenault Inlet.

Alluvial soils are soils that have been washed and transported by water. On the Swan Coastal Plain these soils are termed Forrestfield, Guildford, Swan, Beermullah, Vasse and Yanga. Southern River soils are aeolian over alluvial and consist of Bassendean sands blown over Guildford and Forrestfield soils.

The Darling Range consists of a complex mosaic of soil types that are collectively known as Darling Range laterites. In the catalogue these have been identified as Darling Scarp and Darling plateau - laterite, granite and valleys.

Acknowledgments

The plant species arrived at in this catalogue have been obtained from the authors' experience and by reference to previous works by others. In particular the authors wish to acknowledge the work of Powell and Emberson in *Growing Locals - gardening with local plants in Perth*. This publication systematically lists the location of approximately 1,500 native plants in the Perth region and we recommend it to the reader. We would also like to acknowledge Havell in Forest Department Bulletin, numbers 86 and 87. All errors and omissions remain of course the responsibility of the authors. All comments will be gratefully appreciated and should be directed to the Secretary, Appropriate Technology Development Group (Inc.), 1 Johannah Street, North Fremantle.

References

1. Bennett, E.M. (1991). *Common and Aboriginal Names of Western Australian Plant Species*. Wildflower Society of Western Australia.
2. Green, J.W. (1985). *Census of the Vascular Plants of Western Australia*. Department of Agriculture, Perth.
3. Heddle, E.M., Loneragan, O.W. and Havell, J.J. (1980). *Darling System - Vegetation Complexes*. Department of Conservation and Environment, Western Australia.
4. Marchant, N.G., Wheeler, J.R., Rye, B.L., Bennett, E.M., Lander, N.S., MacFarlane, T.D. (1987). *Flora of the Perth Region. (Parts 1 & 2)* Department of Agriculture, Perth.
5. McArthur, W.M. and Bettenay, E. (1974). *Development and Distribution of Soils of Swan Coastal Plain*. CSIRO, Melbourne.
6. Powell, R. and Emberson, J. (1996). *Growing Locals - gardening with local plants in Perth*. Western Australian Naturalists' Club (Inc.), Nedlands.
7. Trudgen, M. (1991). *A Flora and Vegetation Survey of the Coast of the City of Mandurah*. Department of Planning and Urban Development, Perth.
8. Trudgen, M. (1984). *Flora and Vegetation of the Leschenault Peninsula*. Department of Conservation and Environment, Perth

A publication of Appropriate Technology Development Group (Inc.)
Copyright 1997 A.D. Freeman & G.P Reid

MAP

Swan Coastal Plain Soil Types

Aeolian Soils

Quindalup



Cottesloe



Herdsmen



Karrakatta



Bassendean



Aeolian over Alluvial

Southern River




Alluvial

Swan



Other Alluvial



Adapted from "The Atlas of Natural Resources: Darling System, Western Australia" (WA Department of Conservation and Environment). In "Leaf and Branch: Trees & Tall Shrubs of Perth" by Robert Powell, CALM Perth (1991), p. 14.

BEERMULLAH VEGETATION COMPLEX


Genus	Species	Common Name	Size	Flowers	Colour
<i>Acacia</i>	<i>pulchella</i>	Prickly Moses	2.0	Jun-Oct	yellow
<i>Acacia</i>	<i>rostellifera</i>	Summer Scented Wattle	2.0	Aug-Oct	yellow
<i>Acacia</i>	<i>saligna</i>	Coojong	6.0	Aug-Oct	yellow
<i>Actinostrobus</i>	<i>pyramidalis</i>	Swamp Cypress	2.0		
<i>Alexgeorgea</i>	<i>arenicola</i>		0.3	Apr-May	brown
<i>Allocasuarina</i>	<i>humilis</i>	Dwarf Sheoak	1.5	May-Nov	
<i>Anigozanthos</i>	<i>humilis</i>	Catspaw	0.5	Aug-Oct	yellow/red
<i>Anigozanthos</i>	<i>viridis</i>	Green Kangaroo Paw	0.5	Aug-Oct	green
<i>Astartea</i>	<i>fascicularis</i>		1.5	Dec-Feb	pink
<i>Austrostipa</i>	<i>semibarbata</i>	Bearded Spear Grass	0.5	Aug-Nov	
<i>Baeckea</i>	<i>camphorosmae</i>	Camphor Myrtle	1.0	Jul-Feb	pink
<i>Banksia</i>	<i>attenuata</i>	Candle Banksia	8.0	Sept-Oct	yellow
<i>Banksia</i>	<i>menziesii</i>	Firewood Banksia	8.0	Feb-Aug	red
<i>Beaufortia</i>	<i>squarrosa</i>	Sand Bottlebrush	1.5	Jan-Apr	orange
<i>Bossiaea</i>	<i>eriocarpa</i>	Common Brown Pea	0.5	Jul-Oct	brown/yellow
<i>Brachycome</i>	<i>iberidifolia</i>	Swan River Daisy	low	Aug-May	blue
<i>Burchardia</i>	<i>multiflora</i>	Dwarf Burchardia	low	Jul-Oct	pink
<i>Burchardia</i>	<i>umbellata</i>	Milkmaids	0.5	Aug-Oct	white
<i>Calothamnus</i>	<i>sanguineus</i>	Silky Leaved Blood Flower	1.0	Mar-Nov	red
<i>Casuarina</i>	<i>obesa</i>	Salt Sheoak	10.0		
<i>Centella</i>	<i>asiatica</i>	Centella	0.1	All Year	pink
<i>Conostylis</i>	<i>aculeata</i>	Prickly Conostylis	0.5	Sept-Oct	yellow
<i>Dielsia</i>	<i>stenostachyus</i>		0.6	Feb-May	
<i>Dryandra</i>	<i>nivea</i>	Couch Honeypot	low	May-Sept	gold
<i>Eleocharis</i>	<i>acuta</i>	Common Spike-rush	1.5	Sept-Dec	
<i>Eremaea</i>	<i>pauciflora</i>		1.0	Sept-Dec	orange
<i>Eriostemon</i>	<i>spicatus</i>	Salt and Pepper	0.5	Aug-Sept	mauve
<i>Eucalyptus</i>	<i>calophylla</i>	Marri	35.0	Jan-May	white
<i>Eucalyptus</i>	<i>rudis</i>	Flooded Gum	15.0	Apr-Nov	cream
<i>Eucalyptus</i>	<i>totiana</i>	Prickly Bark	10.0	Feb	cream
<i>Euchilopsis</i>	<i>linearis</i>	Swamp Pea	1.5	Jul-Dec	orange/red
<i>Gompholobium</i>	<i>marginatum</i>		0.5	Aug-Sept	yellow
<i>Gompholobium</i>	<i>tomentosum</i>	Yellow Pea	0.5	Aug-Dec	yellow
<i>Haemodorum</i>	<i>laxum</i>	Bloodroot	0.5	Nov	black
<i>Haemodorum</i>	<i>simplex</i>	Mardja	0.5	Oct-Nov	black
<i>Haemodorum</i>	<i>spicatum</i>	Mardja	0.5	Nov-Dec	black
<i>Hakea</i>	<i>ceratophylla</i>	Horned Leaved Hakea	1.0	Sept-Dec	red
<i>Hakea</i>	<i>prostrata</i>	Harsh Hakea	3.0	Aug-Nov	white
<i>Hakea</i>	<i>ruscifolia</i>	Candle Hakea	3.0	Dec-Mar	white
<i>Hakea</i>	<i>sulcata</i>	Furrowed Hakea	1.5	Aug-Sept	white
<i>Hakea</i>	<i>varia</i>	Variable Leaved Hakea	3.0	Jul-Oct	white
<i>Hemiandra</i>	<i>pungens</i>	Snake Bush	low	All Year	purple
<i>Hovea</i>	<i>trisperma</i>	Common Hovea	0.5	Jun-Sept	purple
<i>Hypocalymma</i>	<i>angustifolium</i>	White Myrtle	1.0	Jul-Oct	white
<i>Isolepis</i>	<i>cernua</i>	Nodding Club-rush	0.2	All Year	
<i>Isolepis</i>	<i>nodosa</i>	Knotted Club Rush	1.0	Nov-Mar	brown
<i>Isopogon</i>	<i>dubius</i>	Rose Coneflower	1.0	Jul-Oct	pink
<i>Isotropis</i>	<i>cuneifolia</i>	Granny Bonnets	low	Aug-Oct	red
<i>Juncus</i>	<i>krausii</i>	Sea Rush	1.5	Nov-Dec	brown

BEERMULLAH VEGETATION COMPLEX

Genus	Species	Common Name	Size	Flowers	Colour
<i>Juncus</i>	<i>pallidus</i>	Giant Rush	2.0	Oct-Nov	white
<i>Kunzea</i>	<i>recurva</i>	Mountain Kunzea	1.5	Aug-Nov	mauve
<i>Lobelia</i>	<i>alata</i>	Angled Lobelia	0.3	Mar-Apr	blue
<i>Meeboldina</i>	<i>coangustatus</i>		1.0	Aug-Oct	brown
<i>Melaleuca</i>	<i>lateritia</i>	Robin Redbreast Bush	2.0	Sept-Apr	red
<i>Melaleuca</i>	<i>preissiana</i>	Modong	10.0	Nov-Jan	white
<i>Melaleuca</i>	<i>rhaphiophylla</i>	Swamp Paperbark	8.0	Sept-Jan	white
<i>Melaleuca</i>	<i>teretifolia</i>	Banbar	4.0	Oct-Jan	white
<i>Melaleuca</i>	<i>trichophylla</i>		0.7	Nov-Jan	pink/purple
<i>Melaleuca</i>	<i>uncinata</i>	Broom Honeymyrtle	3.0	Sept-Dec	yellow
<i>Melaleuca</i>	<i>viminea</i>	Mohan	5.0	Aug-Oct	white
<i>Nemcia</i>	<i>capitatum</i>	Bacon and Eggs	0.5	Jun-Sept	yellow
<i>Neurachne</i>	<i>alopecuroidea</i>	Foxtail Mulga Grass	0.5	Aug-Nov	
<i>Patersonia</i>	<i>occidentalis</i>	Western Patersonia	0.5	Sept-Dec	purple
<i>Pericalymma</i>	<i>ellipticum</i>	Swamp Tea Tree	1.0	Sept-Dec	white
<i>Phyllanthus</i>	<i>calycinus</i>	False Boronia	0.3	Jun-Nov	white
<i>Regelia</i>	<i>ciliata</i>		2.0	Nov-Feb	red
<i>Scholtzia</i>	<i>involucrata</i>	Spiked Scholtzia	1.0	Dec-Mar	white
<i>Viminaria</i>	<i>juncea</i>	Swish Bush	4.0	Oct-Dec	yellow

BEERMULLAH VEGETATION COMPLEX

Notes



Apace Aid (Inc)
Winters House
1 Johannah Street North Fremantle 6159

Phone 9336 12 62
Fax 9430 5729
apace@apacewa.org.au
www.apacewa.org.au

